ELSEVIER

Forest Ecology and Management 106 (1998) 315–316

Forest Ecology and Management

Contents of *Forest Ecology and Management*, Volume 106

VOL. 106, NO. 1 **2 JULY 1998**

Preface ix

Linking the ecology of natural oak regeneration to silviculture
D.R. Larsen and P.S. Johnson (Columbia, MO, USA) 1
Dendroecology and species co-existence in an old-growth *Quercus–Acer–Tilia* talus slope forest in the central Appalachians, USA
M.D. Abrams, C.M. Ruffner (University Park, PA, USA) and T.E. DeMeo (Elkins, WV, USA) 9
Silvicultural methods of oak regeneration with special respect to shade tolerant mixed species
B. Von Lüpke (Göttingen, Germany) 19
Stand structure and regeneration of *Quercus mongolica* forests in Korea
M.H. Suh (Seoul, South Korea) and D.K. Lee (Suwon, South Korea) 27
Development of oaks (*Quercus petraea* (Matt.) Liebl.) emerged from bird-dispersed seeds under old-growth pine (*Pinus silvestris* L.) stands
R. Mosandl and A. Kleinert (Tharandt, Germany) 35
Approaches to modeling natural regeneration in oak-dominated forests
R. Rogers (Stevens Point, WI, USA) and P.S. Johnson (Columbia, MO, USA) 45

VOL. 106, NOS. 2–3 **27 JULY 1998**

Allometric equations for two South American conifers: Test of a non-destructive method
D.R. Vann (Philadelphia, PA, USA), P.A. Palmiotto (New Haven, CT, USA) and G. Richard Strimbeck (Burlington, VT, USA) . 55
Spruce budworm (Lepidoptera: Tortricidae) field fecundity: new insights into its estimation and use
D.J. Robison (Raleigh, NC, USA), L.P. Abrahamson (Syracuse, NY, USA), K.F. Raffa (Madison, WI, USA) and E.H. White (Syracuse, NY, USA) 73
Understorey light conditions and regeneration with respect to the structural dynamics of a near-natural temperate deciduous forest in Denmark
J. Emborg (Hørsholm, Denmark) 83
The development of forest resources and potential wood yield in Finland under changing climatic conditions
A. Talkkari (Hirvas, Finland) 97
Effect of shade on young *Aucoumea klaineana* Pierre trees of various provenance under field conditions
P. Koumba Zaou, D. Mapaga (Libreville, Gabon) and H.J. Verkaar (Wageningen, Netherlands) 107
Height–age and height–diameter relationships for monocultures and mixtures of eastern cottonwood clones
S.A. Knowe (Corvallis, OR, USA), G.S. Foster (Huntsville, AL, USA), R.J. Rousseau (Wickliffe, KY, USA) and W.L. Nance (Gulfport, MS, USA). 115
Gap-phase regeneration in longleaf pine wiregrass ecosystems
D.G. Brockway (Albuquerque, NM, USA) and K.W. Outcalt (Athens, GA, USA) 125
Application of the process-based model BIOMASS to *Eucalyptus globulus* subsp. *globulus* plantations on ex-farmland in south western Australia. I. Water use by trees and assessing risk of losses due to drought
F.J. Hingston, J.H. Galbraith and G.M. Dimmock (Wembley, Australia) 141
Application of the process-based model BIOMASS to *Eucalyptus globulus* ssp. *globulus* plantations on ex-farmland in south western Australia. II. Stemwood production and seasonal growth
F.J. Hingston and J.H. Galbraith (Wembley, Australia). 157
Survival, growth, and allometry of planted *Larix occidentalis* seedlings in relation to light availability
H.Y.H. Chen and K. Klinka (Vancouver, BC, Canada). 169

Soil dynamics in an age sequence of *Prosopis juliflora* planted for sodic soil restoration in India
P.P. Bhojvaid and V.R. Timmer (Toronto, Ont., Canada) 181
Native species: a resource for the diversification of forestry production in the lowland humid tropics
J.P. Haggar (San Pedro, Costa Rica), C.B. Briscoe (Turrialba, Costa Rica) and R.P. Butterfield (Burlington, VT, USA) 195
Litter fall and litter decomposition in a forest of the Parque Chaqueño Argentino
R.M. Palma (Buenos Aires, Argentina), J. Prause (Argentina), A.V. Fontanive and M.P. Jimenez (Buenos Aires, Argentina) . . . 205
Using Caribbean pine to establish a mixed plantation: testing effects of pine canopy removal on plantings of rain forest tree species
P.M.S. Ashton (New Haven, CT, USA), S. Gamage, I.A.U.N. Gunatilleke and C.V.S. Gunatilleke (Peradeniya, Sri Lanka) 211
Growth and form of Douglas-fir adjacent to persistent vine maple gaps in southwestern British Columbia
C.W. Wardman and M.G. Schmidt (Burnaby, BC, Canada) 223
Species diversity and area-relationships in Danish beech forests
J.E. Lawesson (Rønde, Denmark), G. De Blust (Brussels, Belgium), C. Grashof (Wageningen, Netherlands), L. Firbank (Cumbria, UK), O. Honnay, M. Hermy (Leuven, Belgium), P. Hobitz and L.M. Jensen (Rønde, Denmark) 235
Modelling the spread of butt rot in a *Picea abies* stand in Finland to evaluate the profitability of stump protection against *Heterobasidion annosum*
T. Möykkynen, J. Miina, T. Pukkala (Joensuu, Finland) and K. Von Weissenberg (Helsinki, Finland). 247
Biological inventory for conservation evaluation. IV. Composition, distribution and spatial prediction of vegetation assemblages in southern Australia
H.M. Neave (Canberra A.C.T., Australia) and T.W. Norton (Albury, NSW, Australia) 259
Below- and above-ground growth of *Eucalyptus nitens* in a young plantation. I. Biomass
R.K. Misra (Hobart, Tas., Australia), C.R.A. Turnbull, R.N. Cromer (Hobart, Tas., Australia), A.K. Gibbons (Hobart, Tas., Australia) and A.V. LaSala (Hobart, Tas., Australia) 283
Below- and above-ground growth of *Eucalyptus nitens* in a young plantation. II. Nitrogen and phosphorus
R.K. Misra (Hobart, Tas., Australia), C.R.A. Turnbull, R.N. Cromer (Hobart, Tas., Australia), A.K. Gibbons (Hobart, Tas., Australia), A.V. LaSala (Hobart, Tas., Australia) and L.M. Ballard (Hobart, Tas., Australia). 295

Short communication

Sources of temporal variation in sap sugar content in a mature sugar maple (*Acer saccharum*) plantation
F. Larochelle, É. Forget, A. Rainville and J. Bousquet (Sainte-Foy, Que., Canada) 307

Contents of *Forest Ecology and Management*, Volume 106 315